# 1 of 3 Creation Date : May 12, 2017 (GMT)

### ZCAT1518-0730









Applications	Commercial Grade	
Product Type	Band fixed type	
Applicable Cable Size	Φ7mm Max.	
Series	ZCAT	
Status	Production	



	Size	
Α	22.00mm ±1.00mm	
В	18.00mm ±1.00mm	
С	7.00mm ±1.00mm	
D	15.00mm ±1.00mm	
E		

Electrical Characteristics		
Impedance (Min.) / O	25 (10 to 100MHz)	
Impedance (Min.) / $\Omega$	50 (100 to 500MHz)	

Other		
Operating Temp. Range	-40 to 85°C	
AEC-Q200	No	
Case Color	Gray	
Package Quantity	896pcs	
Weight	6.1g	

<sup>!</sup> Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

ZCAT1518-0730










### Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)



<sup>!</sup> This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.

Clamp Filters (Ferrite Core with Case)

### ZCAT1518-0730










## **Associated Images**



<sup>!</sup> Images are for reference only and show exemplary products. ! This PDF document was created based on the data listed on the TDK Corporation website.

<sup>!</sup> All specifications are subject to change without notice.