




THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD		
	K1	ECR-13-017177	05NOV13	PKS	RRP		




SEE DETAIL B



- 1 CONTINUOUS STRIP ON REELS WITH TERMINALS LOCATED ON 9.14±0.08 [.360±.003] CENTERS.
- 2 FOR OPTIMUM RETENTION IN POKE-IN TYPE MAG-MATE TERMINALS, THE SERRATION AS SHOWN MUST BE ENGAGED WITH THE EDGE OF THE LEAF



DETAIL B
SCALE 20:1



SECTION A-A

0.30-0.8mm [22-18] AWG	62895-1
WIRE RANGE	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.S. FEHER 18DEC2002	TE TE Connectivity	
DIMENSIONS: INCHES		CHK K.A. RANDOLPH 18DEC2002		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD K.A. RANDOLPH 18DEC2002	NAME TAB, POKE-IN, MAG-MATE™	
0 PLC ± -		PRODUCT SPEC 108-22045	SIZE A2	
1 PLC ± -		APPLICATION SPEC 114-2050	CAGE CODE 00779	DRAWING NO 62895
2 PLC ± 0.25 [.010]		WEIGHT -	RESTRICTED TO -	
3 PLC ± -		MATERIAL BRASS	SCALE 10:1	SHEET 1 of 1
4 PLC ± -		FINISH TIN PLATED	REV K1	
ANGLES ± -		CUSTOMER DRAWING		